



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/643,758	08/18/2003	Kitrick Sheets	1376.729US1	3924
21186 7590 10/08/2008 SCHWEGMAN, LUNDBERG & WOESSNER, P.A. P.O. BOX 2938 MINNEAPOLIS, MN 55402				
EXAMINER				
TSAL SIENG JEN				
ART UNIT		PAPER NUMBER		
2186				
MAIL DATE		DELIVERY MODE		
10/08/2008		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

### Office Action Summary

**Application No.**

10/643,758

**Applicant(s)**

SHEETS ET AL.

**Examiner**

SHENG-JEN TSAI

**Art Unit**

2186

**Period for Reply** -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 16 September 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-10 and 12-21 is/are allowed.
- 6) ☒ Claim(s) 11 and 22 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 18 August 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB08)
- Paper No(s)/Mail Date 9/16/2008
- 4) ☐ Interview Summary (PTO-413)
- Paper No(s)/Mail Date \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

### DETAILED ACTION

1. This Office Action is taken in response to Applicants' Request for Continued Examination (RCE) filed on September 16, 2008 regarding application 10/643,758 filed on August 18, 2003.

2. Claims 1-22 are pending for consideration.

#### ***Claim Rejections - 35 USC § 102***

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 11 and 22 are rejected under 35 U.S.C. 102(b) as being anticipated by Vishin et al. (US 5,860,146, hereinafter referred to as Vishin).

As to claim 11, Vishin discloses **a multi-node system** [as shown in figure 1, where each "cluster" represents a node] **for implementing remote address translation** [Auxiliary Translation Lookaside Buffer for Assisting in Accessing Data in Remote Address Spaces (title); abstract], **the system comprising:**  
**a network** [the network, figure 1, 114];  
**a source node coupled to the network** [the corresponding source node may be, for example, the cluster shown in figure 1, 102], **wherein the source node includes a first remote-translation table (RTT)** [the RTLB (Remote Translation Lookaside Buffer), figure 1, 160; The computer system further includes a remote translation lookaside buffer (RTLB) that stores a plurality of remote page table entries. Each

remote page table entry represents a mapping between a range of physical addresses and a corresponding range of remote physical addresses. The primary translation lookaside buffer translates a virtual address asserted by the data processor into a physical address. When the physical address does not correspond to a location in the local memory, the RTLB determines whether the physical address matches at least one of the remote page table entries stored in the RTLB, and selects one of those remote page table entries when at least one match is found. The RTLB's selection circuitry selects a single remote page table entry in accordance with predefined RPTE selection criteria when two or more of the remote page table entries match the physical address. Then, a remote physical address is generated by combining a portion of the selected remote page table entry with a portion of the physical address (abstract); as shown in figures 4-8 and the associated text]; **and**

**a remote node coupled to the network** [for example, the other clusters shown in figure 1, 102], **wherein the remote node includes a second RTT** [each cluster has its own RTLB (abstract)];

**wherein on the remote node the second RTT is built using a first local address space on the source node** [the RTLB (Remote Translation Lookaside Buffer), figure 1, 160; The computer system further includes a remote translation lookaside buffer (RTLB) that stores a plurality of remote page table entries. Each remote page table entry represents a mapping between a range of physical addresses and a corresponding range of remote physical addresses. The primary translation lookaside buffer translates a virtual address asserted by the data processor into a physical

address. When the physical address does not correspond to a location in the local memory, the RTLb determines whether the physical address matches at least one of the remote page table entries stored in the RTLb, and selects one of those remote page table entries when at least one match is found. The RTLb's selection circuitry selects a single remote page table entry in accordance with predefined RPTE selection criteria when two or more of the remote page table entries match the physical address. Then, a remote physical address is generated by combining a portion of the selected remote page table entry with a portion of the physical address (abstract); as shown in figures 4-8 and the associated text] **exported from the source node to the remote node using an operating system call to perform the export** [Referring to FIGS. 8 and 9, when working with large files or databases, certain operating system calls (e.g., shmget() and mmap() in UNIX) can be used to set up the file in shared memory. However, such calls bring all of the file into memory, and thus even portions which are not needed are present in memory. This implies that "less memory" is available for other processes which are working on other objects and files ... (col. 7, line 54 to col. 8, line 48)];

**wherein on the source node the first RTT is built using a second local address space on the remote node** [the RTLb (Remote Translation Lookaside Buffer), figure 1, 160; The computer system further includes a remote translation lookaside buffer (RTLb) that stores a plurality of remote page table entries. Each remote page table entry represents a mapping between a range of physical addresses and a corresponding range of remote physical addresses. The primary translation lookaside buffer translates

a virtual address asserted by the data processor into a physical address. When the physical address does not correspond to a location in the local memory, the RTLB determines whether the physical address matches at least one of the remote page table entries stored in the RTLB, and selects one of those remote page table entries when at least one match is found. The RTLB's selection circuitry selects a single remote page table entry in accordance with predefined RPTE selection criteria when two or more of the remote page table entries match the physical address. Then, a remote physical address is generated by combining a portion of the selected remote page table entry with a portion of the physical address (abstract); as shown in figures 4-8 and the associated text] **exported from the remote node to the source node using the operating system call to perform the export** [Referring to FIGS. 8 and 9, when working with large files or databases, certain operating system calls (e.g., shmget() and mmap() in UNIX) can be used to set up the file in shared memory. However, such calls bring all of the file into memory, and thus even portions which are not needed are present in memory. This implies that "less memory" is available for other processes which are working on other objects and files ... (col. 7, line 54 to col. 8, line 48)]; **wherein the operating system enables remote translation utilizing the first and second RTTs, wherein enabling remote translation utilizing the first and second RTTs includes having the remote node translates translate a virtual memory address associated with the source node to a physical address on the source node as a function of the second RTT and having the source node translate a virtual memory address associated with the remote node to a physical address**

**on the remote node as a function of the first RTT** [the RTL (Remote Translation Lookaside Buffer), figure 1, 160; The computer system further includes a remote translation lookaside buffer (RTL) that stores a plurality of remote page table entries. Each remote page table entry represents a mapping between a range of physical addresses and a corresponding range of remote physical addresses. The primary translation lookaside buffer translates a virtual address asserted by the data processor into a physical address. When the physical address does not correspond to a location in the local memory, the RTL determines whether the physical address matches at least one of the remote page table entries stored in the RTL, and selects one of those remote page table entries when at least one match is found. The RTL's selection circuitry selects a single remote page table entry in accordance with predefined RPTE selection criteria when two or more of the remote page table entries match the physical address. Then, a remote physical address is generated by combining a portion of the selected remote page table entry with a portion of the physical address (abstract); as shown in figures 4-8 and the associated text]; **and**

**wherein both the first and second RTTs include one or more virtual address and each virtual address includes a node number of a remote node that built the virtual address** [as shown in figures 4-8 and the associated text; Node-ID, figure 7, 170; remote physical page address, figure 7, 172].

As to claim 22, Vishin teaches **the system of claim 11, wherein, when remote translation is enabled, the operating system on each node of the plurality of nodes handles requests to changes the application virtual address space**

**configuration on a node-local basis, wherein handling requests includes disallowing an attempt to modify the application virtual address space outside scope of the local node** [As shown in figure 8, where the operating system (180) is confined to the local node, and the local RTLB (160); col. 7, line 54 to col. 8, line 48].

***Allowable Subject Matter***

5. Claims 1-10 and 12-21 are allowed.

***Conclusion***

6. Claims 11 and 22 are rejected as explained above.

Claims 1-10 and 12-21 are allowed.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sheng-Jen Tsai whose telephone number is 571-272-4244. The examiner can normally be reached on 8:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Kim can be reached on 571-272-4182. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/643,758

Page 8

Art Unit: 2186

/Sheng-Jen Tsai/

TFSA Examiner, Art Unit 2186

October 6, 2008